




**ABC EXPO . BE**

Portable & folding displays and stands  
Layout, large format print, photography and lettering



# **illumiNOVA<sup>®</sup>**

INNOVATE WITH LIGHT





**illumiNOVA** is a **breathtakingly vibrant** illuminated Display Solution, exclusively available from Ultima Displays.



### **Eye-catching**

- » Rich, dynamic, glowing colours
- » Perfect for retail environments, showrooms, receptions and wayfinding
- » High quality dye-sublimated print
- » Powerful LED illumination



### **Flexible**

- » Apply your own custom design
- » Option to use custom dimensions
- » Wall-mountable, free-standing or suspended formats
- » Double-sided graphic option for free-standing and suspended formats
- » Lighting system can be linked for 75mm frames and above
- » Easy to change Silicone Edge Graphics (SEG)



### **Practical**

- » Pre-fitted plug-and-play LEDs
- » Sturdy aluminium frames
- » Easy to build, easy to dismantle for transportation
- » Optional carry bag
- » Easily replaceable SEG graphics

Now there's a **brighter way** to display.

## Make a glowing impression with **illumiNOVA**

Ultima Displays is setting new standards in light and colour. Discover an affordable, high-quality, semi-permanent lightbox solution – proudly made in Europe – that's ready to bring your indoor displays to life.



## Light the way to **sustainability**

With sustainability a key theme for businesses and organisations, we're pleased to offer greener solutions.

- » Made from aluminium, an infinitely recyclable material
- » Powerful but energy-efficient LEDs, even in large formats
- » Energy-efficient drivers
- » Printed using water-based inks
- » Long product life due to build quality, reusability and graphic replacements



## Enjoy an exciting range of **innovative features**




### Graphics

- » Edgeless, replaceable SEG graphics
- » High quality dye-sublimated print for deep, vibrant, wide-ranging colours
- » Free-standing and suspended formats can be double-sided or backed with black fabric to prevent light leakage
- » Wall-mounted formats can be supplied with black backing



### Lighting

- » Powerful LEDs and hardware work in harmony to deliver an even, consistent and bright light source across graphics
- » Low power consumption
- » Lighting system can be linked for 75mm frames and above, meaning only one electrical output is required
- » Cool to touch for rapid disassembly



### Frames

- » Standard and custom-sized formats, with variable extrusion depths ensuring consistent strength at all sizes
- » Strong and attractive silver/grey anodised aluminium frames, with black or white powder-coated options available for 75mm and 125mm frames
- » Frames simply fasten together by Allen key for quick assembly and deployment
- » Free-standing frames supplied with steel feet
- » Carry bags available



Looking for portable lightboxes? Ask us about our **iLLUMiGO** range.

## illumiNOVA® 30mm LED


Ask us about  
**custom  
sizes**



### The small but stunning wall-mounted display

- » Back lit technology
- » Perfect for small format displays
- » Wall-mounted format
- » Sleek and narrow 30mm frame extrusion
- » Anodised aluminium 6063 T6 frame
- » Drivers are placed outside the frame
- » Single-sided
- » Supplied with black backing to avoid light leakage
- » Uses tension-fit fabric SEG graphics
- » Graphics can be replaced while mounted on wall
- » Arrives fully assembled
- » Weight 0.362kg/ml

#### Extrusion profile



#### Sizes

- » W594 x H854mm
- » W1000 x H1000mm
- » W854 x H1189mm
- » W2000 x H1000mm

#### Features



Screw-in bracket



Backlite module

## illumiNOVA® 75mm LED


Ask us about  
**custom  
sizes**



### The large yet sleek wall-mounted display

- » Edge lit technology
- » Perfect for large displays
- » Wall-mounted format
- » Slim 75mm frame extrusion
- » Anodised aluminium 6063 T6 frame
- » Drivers are placed inside the frame
- » Frame can be powder-coated in black or white
- » Single-sided
- » Can be supplied with black backing to avoid light leakage
- » Uses tension-fit fabric SEG graphics
- » Lighting system can be linked with single electrical output
- » Graphics can be replaced while mounted on wall
- » Weight 1.143kg/ml
- » Compatible with Vector products

#### Extrusion profile



#### Sizes

- » W1500 x H1500mm
- » W1000 x H1000mm
- » W2000 x H1000mm
- » W2000 x H2000mm
- » W3000 x H2000mm

#### Features



Integrated power connector



Screw-in bracket

## illumiNOVA® 100mm LED


Ask us about  
**custom  
sizes**



### The free-standing format for dramatic displays

- » Edge lit technology
- » Perfect for medium and large displays
- » Free-standing format
- » 100mm frame extrusion
- » Anodised aluminium 6063 T6 frame
- » Drivers are placed inside the frame
- » Single-sided or double-sided
- » Can be supplied with black backing to avoid light leakage
- » Uses tension-fit fabric SEG graphics
- » Lighting system can be linked with single electrical output
- » Supplied with sturdy steel feet
- » Weight 1.082kg/ml
- » Compatible with Vector products

#### Extrusion profile



#### Sizes

- » W3000 x H2000mm

#### Features



Profile



Screw-in bracket



Cross brace



LED strip

## illumiNOVA® 125mm LED


Ask us about  
**custom  
sizes**



### The XL free-standing option for maximum impact

- » Edge lit technology
- » Perfect for extra large displays
- » Freestanding format
- » 125mm frame extrusion
- » Anodised aluminium 6063 T6 frame
- » Drivers are placed inside the frame
- » Frame can be powder-coated in black or white
- » Single-sided or double-sided
- » Can be supplied with black backing to avoid light leakage
- » Uses tension-fit fabric SEG graphics
- » Lighting system can be linked with single electrical output
- » Supplied with sturdy steel feet
- » Weight 1.143kg/ml
- » Compatible with Vector products

#### Extrusion profile



#### Sizes

- » W3000 x H2500mm
- » W4000 x H2000mm

#### Features



Profile



Frame colour options



Cross brace



Steel foot

## illumiNOVA® 125mm Hanging LED


Ask us about  
**custom  
sizes**



### The bold suspended format for unmissable displays

- » Edge lit technology
- » Perfect for medium, large and extra large displays
- » Suspended format
- » 125mm frame extrusion
- » Anodised aluminium 6063 T6 frame
- » Drivers are placed inside the frame
- » Frame can be powder-coated in black or white
- » Single-sided or double-sided
- » Can be supplied with black backing to avoid light leakage
- » Uses tension-fit fabric SEG graphics
- » Lighting system can be linked with single electrical output
- » Suspended pitons included, cables not included
- » Weight 1.143kg/ml

#### Extrusion profile



#### Sizes

- » W2500 x H1000mm
- » W3500 x H1000mm
- » W5000 x H1250mm

#### Features



Profile



Frame colour options

## illumiNOVA® product features

For custom sizes and any other queries, please contact Ultima Displays and we'll be happy to help. Local contact details can be found on the back cover.

Product	Wall-mounted	Freestanding	Hanging	Double-sided	Customisable	Black or white profile	Compatible with Vector
illumiNOVA® 30mm LED	•				•		
illumiNOVA® 75mm LED	•				•	•	•
illumiNOVA® 100mm LED		•		•	•		•
illumiNOVA® 125mm LED		•		•	•	•	•
illumiNOVA® 125 mm Hanging LED			•	•	•	•	

## illumiNOVA® product codes

Our standard silver/grey frames and graphics can be ordered with the following codes.

Frame	Frame code	Graphic Code (Back Lit Textile)	Graphic Code (Black Back/Non Print)
illumiNOVA® 30mm Wall-Mounted W594 x H854mm	ILLNO-30-05X08	G-ILLNO-05X08-BL	
illumiNOVA® 30mm Wall-Mounted W1000 x H1000mm	ILLNO-30-10X10	G-ILLNO-10X10-BL	
illumiNOVA® 30mm Wall-Mounted W854 x H1189mm	ILLNO-30-08X11	G-ILLNO-08X11-BL	
illumiNOVA® 30mm Wall-Mounted W2000 x H1000mm	ILLNO-30-20X10	G-ILLNO-20X10-BL	
illumiNOVA® 75mm Wall-Mounted W1500 x H1500mm	ILLNO-75-15X15	G-ILLNO-15X15-BL	G-ILLNO-15X15-BBN
illumiNOVA® 75mm Wall-Mounted W1000 x H1000mm	ILLNO-75-10X10	G-ILLNO-10X10-BL	G-ILLNO-10X10-BBN
illumiNOVA® 75mm Wall-Mounted W2000 x H1000mm	ILLNO-75-20X10	G-ILLNO-20X10-BL	G-ILLNO-20X10-BBN
illumiNOVA® 75mm Wall-Mounted W2000 x H2000mm	ILLNO-75-20X20	G-ILLNO-20X20-BL	G-ILLNO-20X20-BBN
illumiNOVA® 75mm Wall-Mounted W3000 x H2000mm	ILLNO-75-30X20	G-ILLNO-30X20-BL	G-ILLNO-30X20-BBN
illumiNOVA® 100mm Free-standing W3000 x H2000mm	ILLNO-100-30X20	G-ILLNO-30X20-BL	G-ILLNO-30X20-BBN
illumiNOVA® 125mm Free-standing W3000 x H2500mm	ILLNO-125-30X25	G-ILLNO-30X25-BL	G-ILLNO-30X25-BBN
illumiNOVA® 125mm Free-standing W4000 x H2000mm	ILLNO-125-40X20	G-ILLNO-40X20-BL	G-ILLNO-40X20-BBN
illumiNOVA® 125mm Hanging W2500 x H1000mm	ILLNOH-125-25X10	G-ILLNOH-25X10-BL	
illumiNOVA® 125mm Hanging W3500 x H1000mm	ILLNOH-125-35X10	G-ILLNOH-35X10-BL	
illumiNOVA® 125mm Hanging W5000 x H1250mm	ILLNOH-125-50X12	G-ILLNOH-50X12-BL	